



April 22, 2020

Shalini Jasra
Project Manager
Imperial Oil Resources
505 Quarry Park Blvd SE
Calgary, Alberta T2C 5N1

Dear Ms. Jasra:

Re: N7L1-1836 – Imperial Oil – BAR-C/Tununuk – Renewal Application

The Inuvialuit Water Board (IWB) acknowledges receipt of the above-mentioned renewal application on April 17, 2020. The IWB has completed an initial review of the application and as a result, additional information is required for the IWB to deem the application complete and continue with the application review and comment process.

Please provide the following additional information:

1. Environmental Impact Screening Committee (EISC) Decision letter - Phase II Monitoring.
2. Schedule C, Section 4 – Dock Sheet Pile Removal Plan including but not limited to: removal schedule, number/quantity, removal method/procedure, disposal location and an acceptance letter from an approved waste disposal facility.
3. Schedule C, Section 8 – application indicates that any waste generated (i.e. domestic garbage, metallic, sewage) will be brought back to Inuvik for appropriate disposal. Provide a copy of third-party agreement(s) or letters between the licensee (i.e. Imperial Oil) and third parties to store, transport or dispose of waste including:
 - a. type and quantities of waste; and
 - b. disposal location(s) and proof of acceptance from third parties.
4. Schedule C, Section 10 – application indicates that the potential environmental impacts are limited to fuel/fluid releases from equipment. In the event of a spill of fuel/fluid, an approved spill contingency plan is required. A template of a draft Spill Contingency Plan is available on the IWB website www.inuvwb.ca at: https://www.inuvwb.ca/sites/default/files/documents/1836_spill_contingency_plan_2014_-_140614.pdf

Contact information (name and phone number) included in the approved Spill Contingency Plan may be outdated and/or changed. Please verify and provide updated contact information for the various sections of the approved spill contingency plan - such as:


- a. Page 6, section 2.1: primary list of contacts for spill response;
- b. Page 10, section 2.8, bullet 2: contact for additional copies of approved Plan;
- c. Page 12, section 3.2: off-site resources; and
- d. Page 24, section 6, Table 6-1: spill response contact list.

5. Schedule C, section 11 – application indicates that the monitoring and maintenance work will be awarded as appropriate with preference given to Inuvialuit businesses, where practical. Provide names, addresses and functions of contractors and sub-contractors and if not available at this time provide a submission timeline.

Please submit the above additional information by the **end of day Monday May 11, 2020** for the IWB to continue processing the renewal application in a timely manner. The submitted documents including all IWB correspondence will be placed on the IWB public register.

Should you have any questions or concerns please contact me at 867-678-8610 or adhikarib@inuvwb.ca or Mardy Semmler, Executive Director, at 867-678-8609 or semmlerm@inuvwb.ca

Sincerely,



Sor
Bijaya Adhikari, PhD
Science and Regulatory Coordinator