

**From:** Jasra, Shalini S <shalini.s.jasra@esso.ca>  
**Sent:** April 23, 2020 8:10 PM  
**To:** Mardy Semmler <semmlerm@inuvwb.ca>  
**Cc:** Bijaya Adhikari <adhikarib@inuvwb.ca>; Freda Wilson <wilsonf@inuvwb.ca>  
**Subject:** RE: N7L1-1836 - IOR Bar C Renewal Application

Good evening Mardy,

We are in receipt of the IWB letter dated April 22, 2020 and wish to provide some interim updates and requests for clarifications.

1. Imperial has submitted a Project Summary Questionnaire and is also providing requested supplemental information. The requested Decision letter will be forwarded to the EISC upon receipt.
2. Based on the IWB discussion with Advisian on April 15, it was Imperial's understanding that a new Type B Water Licence would be provided knowing that the specifics related to a Dock Pile Removal Plan were still being determined. Technical reviews and a subsequent plan will not be available by May 11. Imperial understood that clauses could be placed in the Water Licence to the effect that Imperial will provide this plan to the IWB for review once available with any subsequent dock pile related conditions added to the licence later, if needed. Please clarify.
3. As part of any contracting required for completion of the Dock Pile Removal Plan, Imperial will have the Contractor(s) supply copies of the request agreements as part of the works.
4. An updated Spill Management Plan is under development and will be provided to the IWB by May 11, 2020.
5. The next site monitoring event is scheduled for 2021. This work will not be contracted until 2021. The IWB will be advised of the Inuvialuit contractors in summer 2021 prior to mobilization to BAR-C.

We trust the following has been helpful and look forward to your response on how the Dock Pile Removal Plan will be handled within the Water Licence.

Yours truly,

**Shalini Jasra, P.Eng**

**Team Lead- Demo & Advocacy**

Environmental & Property Solutions- Environmental, Imperial Oil

505 Quarry Park Blvd S.E. | C4A

[shalini.s.jasra@esso.ca](mailto:shalini.s.jasra@esso.ca) P 587-476-2461 C 403-815-1149

[imperialoil.ca](http://imperialoil.ca) | [Twitter](#) | [YouTube](#)

**From:** Mardy Semmler [mailto:semmlerm@inuvwb.ca]  
**Sent:** Wednesday, April 22, 2020 12:26 PM  
**To:** Jasra, Shalini S <shalini.s.jasra@esso.ca>  
**Cc:** Bijaya Adhikari <adhikarib@inuvwb.ca>; Freda Wilson <wilsonf@inuvwb.ca>  
**Subject:** FW: N7L1-1836 - IOR Bar C Renewal Application

**External Email - Think Before You Click**

Good Afternoon Shalini

Attached please find correspondence from the IWB requesting additional information for N7L1-1836 – IOR Bar C Renewal Application.

All correspondence regarding N7L1-1836 – IOR Bar C Renewal Application can be found on the IWB Public Register and online at: [www.inuvwb.ca](http://www.inuvwb.ca).

Please note that this correspondence will NOT follow in the mail.

Thank you

Mardy

*Mardy Semmler*  
*Executive Director*  
*Inuvialuit Water Board*  
*P.O. Box 2531, Inuvik, NT X0E 0T0*  
*Ph: 867-678-8609*  
*Fax: 867-678-2943*  
*Email: [semmlerm@inuvwb.ca](mailto:semmlerm@inuvwb.ca)*  
*Website: [www.inuvwb.ca](http://www.inuvwb.ca)*