



December 7, 2020

John Yeulet  
Northwestel Inc. - Implementation Manager  
183 Range Road  
Whitehorse, Yukon Y1A 2C6

Dear Mr. Yeulet:

**RE: N3L8-1844 – Northwestel Inc. (NWTel) - Taglu Microwave Tower Site Asset Removal – Annual Report Submission Reminder**

The Inuvialuit Water Board (IWB) would like to remind NWTel that as per Part B: General Conditions, Item 1 for Water Licence N3L8-1844, the Annual Report submission was due on November 30, 2020. In accordance with Water Licence N3L8-1844, Part B, Item 10 and IWB Document Submission Standards (available on IWB website [www.inuvwb.ca](http://www.inuvwb.ca) at link: [https://www.inuvwb.ca/sites/default/files/200401\\_iwb\\_document\\_submission\\_standards.pdf](https://www.inuvwb.ca/sites/default/files/200401_iwb_document_submission_standards.pdf)) the Licensee shall submit two (2) copies of all reports, plans, maps and drawings in printed format accompanied by two (2) electronic copies (CDs or USBs) including a signed cover letter with reference to the water licence number and the licence condition it is being submitted under.

All submitted documents, including related IWB correspondence will be placed on the IWB Public Register. Should you have questions or concerns regarding this correspondence, contact me at (867) 678-8610 or [adhikarib@inuvwb.ca](mailto:adhikarib@inuvwb.ca) or Mardy Semmler, IWB Executive Director, at 867-678-8609 or [semmlerm@inuvwb.ca](mailto:semmlerm@inuvwb.ca).

Sincerely,

Bijaya Adhikari, PhD  
Science and Regulatory Coordinator

cc: Lloyd Gruben, Water Resource Officer - ENR Inuvik Region