



Inuvialuit Water Board Standard Municipal Water Licence Terms and Conditions

The Inuvialuit Water Board (IWB) has adopted a set of standard terms and conditions for inclusion in municipal water licences. These standard terms and conditions are intended to increase the level of consistency in municipal water licences within the geographic area for which the IWB is responsible. Further, the publication of these standard terms and conditions is also intended to inform applicants, other regulators and the public of the specific requirements that may be included in future municipal water licences.

Please note that the IWB reserves the right to alter any or all of these terms and conditions so that it may effectively address the specific circumstances of a community's municipal water licence application and/or to appropriately fulfill the requirements of its mandate and responsibilities under the *Waters Act*.

PART A: SCOPE AND DEFINITIONS

1. Scope

- a) This Licence entitles the _____ to use water and dispose of waste for municipal undertakings at _____, Northwest Territories. The Hamlet is located at _____ North and _____ West.
- b) This Licence is renewed subject to the conditions contained herein with respect to the taking of water and the depositing of waste of any type in any waters or in any place under any conditions where such waste or any other waste that results from the deposits of such waste may enter any waters. Whenever new Regulations are made or existing Regulations are amended by the Commissioner in Executive Council under the *Act*, or other statutes imposing more stringent conditions relating to the quantity or type of waste that may be so deposited or under which any such waste may be so deposited, this Licence shall be deemed, upon promulgation of such Regulations, to be automatically amended to conform with such Regulations.
- c) Compliance with the terms and conditions of this Licence does not absolve the Licensee from responsibility for compliance with the requirements of all applicable Federal, Territorial and Municipal legislation.
- d) This Licence is issued subject to the conditions contained herein with respect to the use of waters and deposit of waste as prescribed in Section 10 and 11 of the *Act*.

2. Definitions

In this Licence: _____

“**Act**” means the *Waters Act*;

“**Analyst**” means an Analyst designated by the Minister under Section 65 (1) of the *Act*;

“**Average Concentration**” means the discrete average of up to four consecutive analytical results submitted in any single calendar year to the Board in accordance with the sampling and analysis requirements specified in the “Surveillance Network Program”;

“**Average Concentration for Faecal Coliforms**” means the running geometric mean of up to four consecutive analytical results submitted to the Board in accordance with the sampling and analysis requirements specified in the “Surveillance Network Program”;

“**Bagged Toilet Wastes Disposal Facilities**” comprises the area within the Solid Waste Disposal Facility and associated structures designed to contain bagged toilet wastes (honey bags);

“**Closure**” means the permanent dismantlement of one or more components of the Project with the intent of making the components incapable of its intended use. This includes the removal of associated equipment and structures used in the construction or maintenance of the Project;

“**Contingency Plan**” means a detailed program of action to control and/or minimize the effects of an emergency requiring prompt corrective measures beyond normal procedures to protect human life, to minimize injury and/or losses, and to reduce the exposure of physical assets and the environment to risks resulting from an incident;

“**Engineer**” means a Professional Engineer registered with the Northwest Territories and Nunavut Association of Professional Engineers and Geoscientists and whose principal field of specialization is appropriate to address the components of the undertaking at hand;

“**Freeboard**” means the vertical distance between the Sewage Waste Disposal Facilities water level and the lowest elevation point of the effective water containment crest on a dam or dyke;

“**Greywater**” means all liquid wastes from showers, baths, sinks, kitchens and domestic washing facilities, but does not include toilet wastes;

“**Hazardous Wastes**” mean those wastes with properties such as flammability, corrosiveness, or inherent toxicity and can pose a variety of risks, from skin damage on contact, to the contamination of ground water, surface water, or soil as a result of leaching into the environment when improperly treated, stored, transported, or disposed of, or otherwise managed;

“**Inspector**” means an Inspector designated by the Minister under Section 65 (1) of the *Act*;

“**Minister**” means a duly appointed member of the Executive Council who is responsible for the *Act*;

“**Modification**” means an alteration to a physical work that introduces a new structure or replaces or eliminates an existing structure and does not alter the purpose or function of the work, but does not include an expansion;

“**Pump-out Sewage**” means all toilet wastes and/or greywater collected by means of a vacuum truck for disposal at an approved facility;

“**Reclamation**” means the process of restoring the Project area as nearly as possible to the same condition as it was prior to the commencement of the licensed activity;

“**Regulations**” means Regulations promulgated pursuant to Section 63 of the *Act*;

“**Segregated Waste Disposal Areas**” means defined areas identified within the Solid Waste Disposal Facility set apart for the deposit of specific solid waste materials;

“**Sewage**” means all toilet wastes and greywater;

“**Sewage Waste Disposal Facilities**” comprises the area and engineered structures designed to contain and treat sewage as approved by the Board;

“**Sewage Sludge**” means the residual non-stabilized semi-solid material separated from sewage as a result of a natural or other process at the Sewage Waste Disposal Facilities;

“**Solid Waste Disposal Facilities**” comprises the area and associated structures designed to contain solid wastes as approved by the Board;

“**Spill**” means to allow or accidentally release waste from containment vessels or structures into the receiving environment;

“**Surveillance Network Program (SNP)**” means a monitoring program established to define environmental sampling and analysis requirements, as detailed in Annex A of this Licence, to collect water quality data, and to assess discharge quality, compliance with Licence terms and conditions and the potential for Licensee activity impact on the environment;

“Temporary Hazardous Waste Containment Facility” means a bermed and lined area within the Solid Waste Disposal Facility constructed and maintained for the temporary storage of hazardous waste prior to treatment and/or disposal;

“Toilet Wastes” means all human excreta and associated products, but does not include greywater;

“Waste” means any substance defined as waste as defined by Section 1 of the *Act*;

“Waste Disposal Facilities” mean all facilities designated for the disposal of waste, and includes the Sewage Waste Disposal Facilities and the Solid Waste Disposal Facilities;

“Watercourse” means a natural watercourse, body of water or water supply, whether usually containing water or not, and includes groundwater, springs, swamps, and gulches, as defined in the Waters Regulations;

“Waters” means any waters as defined by Section 1 of the *Act*; and

“Water Supply Facilities” means all facilities designed to collect, treat and supply water for municipal purposes.

PART B: GENERAL CONDITIONS

1. The Licensee shall file an Annual Report with the Board not later than April 30 of each year which shall contain the following information from the previous calendar year:
 - a) the monthly and annual quantities in cubic metres (m³) or litres (L) of fresh water obtained from all sources;
 - b) the monthly and annual quantities in cubic metres (m³) or litres (L) of all sewage discharged to the Sewage Waste Disposal Facilities;
 - c) a summary of the monthly and annual quantities of hazardous waste stored on site and transported off site including the location and treatment or disposal plans for the remaining quantities;
 - d) the monthly and annual quantities of sewage sludge removed from the Sewage Waste Disposal Facilities and disposal location;
 - e) any problems, modifications or repairs done to the Water Supply and Waste Disposal Facilities, including all associated structures;
 - f) tabular summaries of all data generated under the “Surveillance Network Program (SNP)”;
 - g) a list of spills and unauthorized discharges;
 - h) a description of any spill training and/or other operator training carried out;
 - i) a description of any closure and reclamation work completed during the year and an outline of any work anticipated for the next year;
 - j) a description of any studies requested by the Board that relate to water use, waste disposal or closure and reclamation and a brief description of any future studies planned;
 - k) any updates and/or revisions to the:
 - approved Spill Contingency Plan;
 - approved Solid Waste Disposal Facilities Operation and Maintenance Plan;
 - approved Sewage Waste Disposal Facilities Operation and Maintenance Plan;
 - approved Hazardous Waste Management Plan; and
 - approved Closure and Reclamation Plan;
 - l) results of staff inspections on all Water Use and Waste Disposal Facilities including all dams, berms, dykes and control structures authorized under this Licence and any corrective actions, as necessary;

- m) the inclusion of all correspondence between the Inspector and the Licensee; and
 - n) any other details on waste disposal requested by the Board by November 1 of the year being reported.
2. The Licensee shall comply with the “Surveillance Network Program” annexed to this Licence, and any amendment to the said “Surveillance Network Program” as may be made from time to time, pursuant to the conditions of this Licence.
 3. The “Surveillance Network Program” and compliance dates specified in the Licence may be modified at the discretion of the Board.
 4. The Licensee shall, within sixty (60) days of the issuance of this Licence, submit to the Board for approval, a map or drawing indicating the location of all Surveillance Network Program (SNP) sampling stations, with associated Global Positioning System (GPS) locations (Note: Due to inconsistencies between individual GPS units, Google Earth latitude and longitude should be utilized as the GPS points).
 5. The Licensee shall, within sixty (60) days of issuance of this Licence, post signs in the appropriate areas to inform the public of the Water Supply and Waste Disposal Facilities. Additional signage at the Solid Waste Disposal Facility shall clearly indicate where different waste streams collected by the Hamlet should be deposited including the segregated temporary storage of hazardous wastes areas. All postings shall be located and maintained to the satisfaction of the Inspector.
 6. Meters, devices or other such methods used for measuring the volumes of water obtained and waste disposed and discharged shall be installed, operated and maintained by the Licensee to the satisfaction of the Inspector.
 7. The Licensee shall immediately report to the 24 Hour Spill Report Line (**867 920-8130**) any spills of waste which are reported to, or observed by, the Licensee within the municipal boundaries, or in the areas of the Water Supply or Waste Disposal Facilities.
 8. The Licensee shall erect and maintain, to the satisfaction of the Inspector, fencing around the perimeter of the Solid Waste Disposal Facilities, as necessary, to prevent the spread of wind blown litter and waste to the areas surrounding the Solid Waste Disposal Facilities.
 9. The Licensee shall erect and maintain, to the satisfaction of the Inspector, gates at the entrance of the Solid Waste Disposal Facilities that are capable of being locked and can regulate hours to prevent the entry of unauthorized individuals and to discourage unauthorized deposits of waste.
 10. The Licensee shall ensure a copy of this Licence is maintained at the municipal office at all times and that all employees conducting work related to any facilities within the scope of this Licence are made aware of the appropriate sections of the Licence.
 11. In a form acceptable to the Board, the Licensee shall submit two (2) copies of all reports, management plans, maps and drawings in printed format accompanied by two (2) electronic copies.

PART C: CONDITIONS APPLYING TO WATER USE

1. The Licensee shall obtain all water for human consumption from _____ or as otherwise approved by the Board.
2. The Licensee may obtain water from an alternate water supply for use on an emergency

basis upon approval of the Inspector when it is not possible to obtain water from the source stated in Part C, Item 1.

3. The annual quantity of water taken for all purposes shall not exceed _____ cubic metres (m³) or _____ Litres (L).
4. The water intake hose used on the water pumps shall be equipped with a screen with a mesh size sufficient to ensure no entrainment of fish occurs.

PART D: CONDITIONS APPLYING TO SEWAGE AND SOLID WASTE DISPOSAL

1. The Licensee shall direct all pump-out sewage to the Sewage Waste Disposal Facilities or as otherwise approved by the Board.
2. All effluent discharged from the Sewage Waste Disposal Facilities at “Surveillance Network Program” Station Number _____, _____, and _____ shall meet the following effluent quality standards:

Parameters	Maximum Average Concentration
Faecal Coliforms	1 x 10 ⁴ CFU/100mL
Biological Oxygen Demand (BOD ₅)	100 mg/L
Oil and Grease	5 mg/L
Total Suspended Solids (TSS)	120 mg/L

The effluent discharged shall have a pH between 6 and 9, and no visible sheen of oil and grease.

3. The Licensee shall ensure that the Sewage Waste Disposal Facilities are maintained and operated in such a manner as to prevent structural failure.
4. A freeboard limit of 1 metre (m), or as recommended by an engineer and as approved by the Board, shall be maintained at all dams, dykes and structures associated with the Sewage Waste Disposal Facilities.
5. The Licensee shall maintain the Sewage Waste Disposal Facilities to the satisfaction of the Inspector.
6. The Licensee shall advise the Inspector at least ten (10) days prior to initiating a formal decant of the Sewage Waste Disposal Facilities should it be necessary.
7. Within sixty (60) days prior to the removal of sludge from the Sewage Waste Disposal Facilities, a Sludge Removal Plan shall be submitted to the Board for approval.
8. All bagged toilet wastes (honey bags) shall be disposed of at the Bagged Toilet Waste Disposal Facilities to the satisfaction of the Inspector.
9. The Licensee shall dispose of all solid wastes at the Solid Waste Disposal Facilities or as otherwise approved by the Board.
10. The Licensee shall construct and maintain the Temporary Hazardous Waste Containment Facility to the satisfaction of the Inspector.

11. The Licensee shall notify the Inspector when any contaminated soil or snow or other hazardous material is deposited at the Solid Waste Disposal Facilities.
12. The Licensee shall contain all contaminated soil, snow and all other hazardous materials in such a manner as to minimize the potential for migration of contaminants into any waters, to the satisfaction of the Inspector.
13. The Licensee shall not openly burn solid or liquid waste, with the exception of paper products, paperboard packaging, untreated wood in accordance with the guideline "*Municipal Solid Wastes Suitable for Open Burning*", developed by the Government of Northwest Territories (GNWT) - Department of Environment and Natural Resources.
14. The Licensee shall openly burn animal carcasses in a designated location within the Solid Waste Disposal Facility.
15. The solid waste disposal trenches and cells shall be maintained and operated in such a manner as to prevent structural failure and be maintained to the satisfaction of the Inspector.
16. The Licensee shall maintain the Segregated Waste Disposal Areas to the satisfaction of the Inspector.
17. The Licensee shall collect windblown litter in the Solid Waste Disposal Facilities and surrounding lands, once in the spring and again in the fall of every year for the duration of the Water Licence.
18. The Licensee shall ensure that any unauthorized wastes associated with the municipal undertaking do not enter any waters.
19. The Licensee shall immediately notify the Board and the Inspector of any effluent quality results that exceed the maximum standard concentration.
20. The Licensee shall provide a written submission on those activities conducted under Part D, Item 6 and 7 upon request of the Board or the Inspector.

PART E: CONDITIONS APPLYING TO OPERATION AND MAINTENANCE

1. The Licensee shall, within three (3) months of the issuance of this Licence, submit to the Board for approval, an Operations and Maintenance Plan for the Sewage Waste Disposal Facilities and Solid Waste Disposal Facilities that includes, but is not limited to, information and plans related to the following:
 - a) specifications of the Sewage Waste Disposal Facilities and Solid Waste Disposal Facilities including engineering drawings signed and stamped by an engineer;
 - b) operations, maintenance and monitoring programs for the Sewage Waste Disposal Facilities and Solid Waste Disposal Facilities including maintenance and inspection schedules;
 - c) quantification of sewage generated and future projection;
 - d) sewage sludge management including the disposal of sludge generated at the Sewage Waste Disposal Facilities;
 - e) quantification and composition of solid waste generated and future projection;
 - f) segregation and management of contaminant soil and snow at the Solid Waste Disposal Facilities;
 - g) hazardous waste segregation and management occurring at the Solid Waste Disposal Facilities or from Solid Waste Disposal Facilities activities;
 - h) prevention of windblown debris from the Solid Waste Disposal Facilities;

- i) security of the Sewage Waste Disposal Facilities and Solid Waste Disposal Facilities;
 - j) flood response measures including temporary alternate sewage, solid and hazardous waste disposal practices, locations and mitigation measures; and
 - k) operator training standards and plans.
2. The Solid Waste Disposal Facilities Operations and Maintenance Plan shall be consistent with the “*Guideline for the Planning, Design, Operations and Maintenance of Modified Solid Waste Sites in the Northwest Territories, April 2003*” developed by the Government of the Northwest Territories (GNWT) - Department of Municipal and Community Affairs.
 3. The Licensee shall, within three (3) months of the issuance of this Licence, submit to the Board for approval a Hazardous Waste Management Plan. The plan shall include, but is not limited to:
 - a) design of temporary disposal site, including designation of areas for segregated waste;
 - b) detailed amounts and sources of hazardous waste that are, and are not accepted into the Solid Waste Disposal Facilities;
 - c) identify the maximum quantities of each type of hazardous waste that will be temporarily stored on site;
 - d) methods of treatment and/or disposal of hazardous waste (including contaminated soil);
 - e) methods of implementing reuse of hazardous waste;
 - f) a hazardous waste inventory that identifies the type, means of containment, and quantity of all hazardous waste being stored in the Temporary Hazardous Waste Containment Area; and
 - g) location, timing and means of transport of all hazardous waste to an approved Hazardous Waste Disposal Facility.
 4. The Licensee shall implement the Operations and Maintenance Plans specified in Part E, Item 1 and 3 as and when approved by the Board.
 5. The Licensee shall review the Operations and Maintenance Plans annually and modify the plans as necessary to reflect changes in design, operation and maintenance or any other changes that may be required by the Board or the Inspector. The proposed modifications shall be submitted to the Board for approval.

PART F: CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING

1. The Licensee shall submit to the Board, within three (3) months of the issuance of this Licence, a Spill Contingency Plan in accordance with the “*Guidelines for Spill Contingency Planning, April 2007*” developed by INAC - Water Resources Division.
2. The Licensee shall implement the plan specified in Part F, Item 1 as and when approved by the Board.
3. The Licensee shall review the Spill Contingency Plan annually, and if necessary, modify the plan to reflect changes in operation(s) and technology, chemicals or fuels, or as directed by the Board. Any updated Spill Contingency Plan shall be submitted to the Board for approval.
4. If, during the period of this Licence, an unauthorized discharge of waste occurs, or if such a discharge is foreseeable, the Licensee shall:
 - a) implement the approved Spill Contingency Plan;
 - b) report all Spills immediately via the (24) Hour NWT Spill Report Line (867) 920-8130 in accordance with the instructions contained in the NT-NU Spill Report Form;

- c) report each spill to the Board and the Inspector within 24 hours; and
- d) submit to the Board and the Inspector a detailed report on each occurrence not later than thirty (30) days after initially reporting the event. The detailed report shall include descriptions of root causes, response actions, and any changes to procedures to prevent similar occurrences in the future.

5. All Spills shall be reclaimed to the satisfaction of the Inspector.

PART G: CONDITIONS APPLYING TO MODIFICATIONS

1. The Licensee may, without written approval from the Board, carry out modifications to the Water Supply Facilities or Solid Waste Disposal Facilities provided that such modifications are consistent with the terms of this Licence and the following requirements are met:
 - a) the Licensee has notified the Board in writing of such proposed modifications at least five (5) days prior to beginning the modifications;
 - b) such modifications do not place the Licensee in contravention of either the Licence or the *Act*;
 - c) the Board has not, during the five (5) days following notification of the proposed modifications, informed the Licensee that review of the proposal will require more than five (5) days; and
 - d) the Board has not rejected the proposed modifications.
2. Modifications for which all of the conditions referred to in Part G, Item 1 have not been met may be carried out only with written approval from the Board.
3. The Licensee shall provide to the Board as modified, site plans referred to in Part G, Item 1 within ninety (90) days of completion of the modifications.

PART H: CONDITIONS APPLYING TO CONSTRUCTION

1. Prior to construction of any dams, dykes or structures intended to contain, treat, withhold, divert or retain water or wastes other than as contemplated in the Contingency Plan, the Licensee shall submit to the Board for approval a construction plan and a design report signed and stamped by an engineer.
2. Construction of designed structures as described in Part H, Item 1, shall be carried out as approved by the Board.
3. As-built drawings of the dams, dykes or structures shall be signed and stamped by an engineer and submitted to the Board within ninety (90) days of completion of construction.
4. Any fill material used in the construction of any structures as described in Part H, Item 1, must be clean and free of contaminants.

PART I: CONDITIONS APPLYING TO CLOSURE AND RECLAMATION

1. The Licensee shall submit to the Board for approval a Closure and Reclamation Plan at least six (6) months prior to abandoning any Water Supply, Sewage or Solid Waste Disposal Facilities. The Plan shall include, but not be limited to, the following:
 - a) contaminated site remediation;
 - b) the potential for groundwater contamination (leachate prevention);
 - c) consideration of altered drainage patterns;
 - d) type and source of cover materials;
 - e) future area use;
 - f) hazardous wastes removal, transportation and disposal;

- g) an implementation schedule;
 - h) maps delineating all disturbed areas, borrow material locations, and site facilities; and
 - i) a restoration monitoring plan.
2. The Licensee shall implement the Plan specified in Part I, Item 1 as and when approved by the Board.
 3. The Licensee shall revise the Closure and Reclamation Plan referred to in Part I, Item 1 if not approved. The revised Plan shall be submitted to the Board for approval within six (6) months of receiving notification of the Board's decision.
 4. Notwithstanding the time schedule referred to in the Closure and Reclamation Plan, the Licensee shall endeavour to carry out progressive reclamation of areas, which are abandoned prior to the closure of operations.
 5. The Licensee shall complete the restoration work within the time schedule specified in the Plan, or as subsequently revised and approved by the Board.
 6. Upon implementation of the Closure and Reclamation Plan, the Licensee shall provide to the Board updates of all Closure and Reclamation activities within the Annual Report as described in Part B, Item 1.
 7. Compliance with the Closure and Reclamation Plan specified in this Licence does not limit the legal liability of the Licensee, other than liability arising from provisions of the *Act* and its Regulations.

INUVIALUIT WATER BOARD

Chairperson

Date

ANNEX A: SURVEILLANCE NETWORK PROGRAM

LICENSEE: _____

LICENCE NUMBER: _____

EFFECTIVE DATE OF LICENCE: _____

EFFECTIVE DATE OF SURVEILLANCE NETWORK PROGRAM: _____

A. Sampling Stations

Station Number	Description of Sampling Station
_____	Raw Water supply at the point of intake
_____	Effluent discharge from existing Sewage Waste Disposal Facilities before entering adjacent wetland
_____	Effluent discharge from adjacent wetland of existing Sewage Waste Disposal Facilities before entering the ocean _____
_____	Run-off from existing Solid Waste Disposal Facilities

B. Sampling and Analysis Requirements

1. Water at Station Numbers _____, _____ and _____ shall be sampled once immediately after break-up and monthly during the open water season and analyzed for the following parameters:

Description of Sampling Station	Parameters
Effluent discharge from Sewage Waste Disposal Facilities	BOD ₅ , CBOD ₅ , TSS, pH, Faecal Coliforms, Oil and Grease

2. Water at Station Numbers _____ and _____ shall be sampled annually when run-off is observed and analyzed for the following parameters:

Description of Sampling Station	Parameters
Run-off from Solid Waste Disposal Facilities	pH, Total Suspended Solids (TSS), Total Mercury (Hg), Total Chromium (Cr), Total Copper (Cu), Total Nickel (Ni), Total Iron (Fe), Total Cadmium (Cd), Total Cobalt (Co), Total Manganese (Mn), Total Lead (Pb), Total Zinc (Zn)

3. Water at Station Numbers _____, _____, _____ and _____ shall be inspected monthly during periods of flow for the presence of an oily sheen. If an oily sheen is detected, then a sample shall be collected and analyzed for the presence of oil and grease.
4. Sample collection requirements such as sampling frequency, parameters and locations may be modified by the Inspector.
5. All sampling, sample preservation, and analyses shall be conducted in accordance with methods prescribed in the current edition of "Standard Methods for the Examination of Water and Wastewater" published by the American Public Health Association, the American Water

Works Association and the Water Environment Federation or by such other methods approved by an Analyst.

6. All analyses shall be performed in a laboratory approved by an Analyst.

C. Flow Measurement and Recording Requirements

1. The Licensee shall measure and record in cubic metres (m³) or litres (L) the monthly and annual quantities of water pumped from SNP Station Number _____ for municipal purposes.
2. The Licensee shall measure and record in cubic metres (m³) or litres (L) the monthly and annual quantities of sewage discharged into the Sewage Waste Disposal Facilities.
3. The monthly and annual quantities of sewage sludge removed from the Sewage Waste Disposal Facilities shall be measured and recorded in cubic metres (m³) or litres (L), and reported in the Licensee's Annual Report.

D. Reports

1. The Licensee shall submit all of the data and information generated by Part B and Part C of the Surveillance Network Program in the Licensee's Annual Report to the Board not later than April 30 of the year following the calendar year being reported as specified in Part B, Item 1 of the Licence.

INUVIALUIT WATER BOARD

Chairperson

Date

**SUPPLEMENTAL INFORMATION TO BE SUBMITTED BY LICENSEE
AS REQUIRED THROUGH LICENCE CONDITIONS**

Licence Condition	Reports/Others	Timeline for Submission	Required Board Action/Others
Part B, Item 1	Annual Report	Not later than April 30 of each year	Acceptance
Part B, Item 4	A map or drawing indicating the location of all Surveillance Network Program sampling stations	Within sixty (60) days of the issuance of this Licence	Approval
Part B, Item 5	Post signs in the appropriate areas	Within sixty (60) days of the issuance of this Licence	To the satisfaction of the Inspector
Part D, Item 6	Formal decant of the Sewage Waste Disposal Facilities	At least ten (10) days prior to initiating the decant	Advise the Inspector
Part D, Item 7	A Sludge Removal Plan	Within sixty (60) days prior to the removal of sludge from the Sewage Waste Disposal Facilities	Approval
Part E, Item 1	An Operation and Maintenance Plan for the Sewage Waste Disposal Facilities and Solid Waste Disposal Facilities	Within three (3) months of the issuance of this Licence	Approval
Part E, Item 3	A Hazardous Waste Management Plan	Within three (3) months of the issuance of this Licence	Approval
Part F, Item 1	A Spill Contingency Plan	Within three (3) months of the issuance of this Licence	Approval
Part G, Item 1a	Notification to the Board in writing of proposed modifications	At least five (5) days prior to beginning the modifications	Acceptance
Part G, Item 3	As modified site plans referred to in Part G, Item 1	Within ninety (90) days of completion of the modifications	Acceptance
Part H, Item 3	As-built drawings of the dams, dykes or structures	Within ninety (90) days of completion of construction	Acceptance
Part I, Item 1	A Closure and Reclamation Plan	At least six (6) months prior to abandoning any Water Supply, Sewage or Solid Waste Disposal Facilities	Approval