



October 29, 2019

Moshiur Rahman
Airport Planner
Government of the Northwest Territories
Department of Infrastructure
P.O. Box 1320
5015 – 49 Street,
Yellowknife, NT X1A 2L9

Dear Mr. Rahman:

RE: N3L8-1842 – GOVERNMENT OF THE NORTHWEST TERRITORIES, DEPARTMENT OF INFRASTRUCTURE (GNWT - INF) – AKLAVIK AIRPORT DRAINAGE IMPROVEMENT - WATER LICENCE APPLICATION

In addition to the additional information submitted by Tetra Tech on October 4, 2019, the Inuvialuit Water Board (IWB) requires the complete information package as requested on May 27, 2019 in regard to the Department of Infrastructure (INF) water licence application. In order for the IWB to consider your application complete and to continue with the review and comment process of your application, please provide the following information:

1. Schedule C, section 13 - this section should be completed and signed by the applicant (i.e. GNWT - INF), therefore, resubmit a revised Schedule C.
2. Correspondence from GNWT INF that authorizes Tetra Tech to submit documents associated with the water licence application on behalf of the GNWT INF.
3. Project Description Report, Appendix D - Spill Contingency Plan:
 - a. Spill Contingency Plan - distribution list;
 - b. Summary of available communication equipment at the site during construction; and
 - c. Notification procedures to alert the public if the public may be impacted by a spill.

The submitted documentation, including all related IWB correspondence, will be placed on the IWB Public Register. Should you have any questions regarding this letter, contact me at 867-678-8610 or adhikarib@inuvwb.ca or Mardy Semmler, Executive Director, at 867-678-8609 or semmlerm@inuvwb.ca.

Sincerely,

Bijaya Adhikari, PhD
Science and Regulatory Coordinator

cc: Michael Blanchette, Environmental Engineer – Tetra Tech Canada